

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6126	(216/58-81). OCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/22 10:53
L4	3475	2 and (electrode cathode anode)	US-PGPUB; USPAT	OR	ON	2008/07/22 10:53
L5	6	2 and ((electrode cathode anode) with (platinum) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 10:54
L6	3	2 and ((electrode cathode anode) with (pt) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 10:55
L8	3	6 not 5	US-PGPUB; USPAT	OR	ON	2008/07/22 10:56
L9	19	2 and ((electrode cathode anode) same (platinum) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:06
L10	13	9 not (5 6)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:15
L11	8	2 and ((electrode cathode anode) same (pt) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:17
L12	3	11 not (5 6 9)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:18
L13	9516	(438/706-744). OCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/22 11:18
L14	5202	13 and (electrode cathode anode)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:19
L15	16	13 and ((electrode cathode anode) with (platinum) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:19
L16	9	13 and ((electrode cathode anode) with (pt) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:23

L17	41	13 and ((electrode cathode anode) same (platinum) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:24
L18	23	17 not (15 16)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:24
L19	21	13 and ((electrode cathode anode) same (pt) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:28
L20	3	19 not (15 16 18)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:28
L22	142129	("438").CLAS.	US-PGPUB; USPAT	OR	OFF	2008/07/22 11:30
L23	163	22 and ((electrode cathode anode) with (platinum) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:30
L24	146	23 not (5 6 9 15 16 18 20)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:31
L25	195	22 and ((electrode cathode anode) with (pt) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:34
L26	136	25 not (5 6 9 15 16 18 20 24)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:34
L27	14184	(118/715-733). OCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/22 11:37
L28	6319	27 and (electrode cathode anode)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:37
L29	12	27 and ((electrode cathode anode) with (platinum) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:37
L30	13	27 and ((electrode cathode anode) with (pt) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:40
L31	7376	(156/345.1- 345.55).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/22 11:43

L32	5	31 and ((electrode cathode anode) with (platinum) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:43
L33	3	31 and ((electrode cathode anode) with (pt) with (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:44
L34	15	31 and ((electrode cathode anode) same (platinum) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:44
L35	10	34 not (32 33)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:45
L36	7	31 and ((electrode cathode anode) same (pt) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:46
L37	3	36 not (32 33 34)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:46
L38	38	27 and ((electrode cathode anode) same (platinum) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:47
L39	21	38 not (5 6 9 15 16 18 20 24 26 29 30 32 33 34 36)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:48
L40	28	27 and ((electrode cathode anode) same (pt) same (heat\$5))	US-PGPUB; USPAT	OR	ON	2008/07/22 11:51
L41	9	40 not (5 6 9 15 16 18 20 24 26 29 30 32 33 34 36 39)	US-PGPUB; USPAT	OR	ON	2008/07/22 11:52

L42	49	((electrode cathode anode) with (heat heating heated)) same ((platinum) with (etch etched etching etchant))	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 11:56
L43	33	((electrode cathode anode) with (heat heating heated)) same ((pt) with (etch etched etching etchant))	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:01
L44	30	43 not 42	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:01

7/ 22/ 08 12:07:30 PM

C:\Documents and Settings\lalejandro\My Documents\EAST\Workspaces\Default.wsp